

Assembly Instructions

- Prepare a clean table for assembly. Having two people will facilitate the entire process, but one person can do it alone.
- If you have a small car that can not accommodate the assembled casket, all you need to do is assemble the two lids and pillow, leaving the **Casket Base** in original folding shape. The “open, fold and lock” procedures are all in one step and can be done easily when at the funeral home.
- When folding scores, **press down to the very end. Always fold toward scores, not away from scores.**
- It is important **not** to punch open the hidden hand wholes before the service finished, this will present a better appearance.
- If it is raining during Burial Service, **please be certain that some type of covering is used, such as umbrellas or plastic sheeting.**

A. Steps for two lids and pillow:

<p>1. Pull out <u>Inner Lid</u> (item#1, two pieces), <u>Lid Top</u> (item#2, two pieces) and <u>Lid End</u> (item#3, four pieces). Fold along all scores to the very end.</p>	 <p>Picture 1</p>
<p>2. Tuck in the 2 tabs into slots on each of the left and right wing of <u>Inner Lid</u> (item#1), then tuck in the top and bottom wings. (Refer to picture 1)</p>	 <p>Picture 2</p>

<p>4. Take two <u>Lid Ends</u> out (item#3), and tuck the two small tabs into the <u>Inner Lid</u> slots, then tuck the other tabs into the remaining locations. (Refer to Picture 3) Do the same actions on the other side. Repeat the same procedures for second lid.</p>	 <p style="text-align: center;">Picture 3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------

<p>5. Take out <u>Pillow</u> (item#4) and fold up. (Refer to Picture 4)</p>	 <p style="text-align: center;">Picture 4</p>
-----------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------

B. Steps for Casket Base and Base End Wrap:

<p>1. Take out <u>Base End Wrap</u> (item#5, two pieces), and <u>Casket Base</u> (item#6, one piece). Fold along all scores to the very end.</p>	 <p style="text-align: center;">Picture 5</p>
<p>2. Position <u>Base End Wrap</u> underneath the end part of <u>Casket Base</u>. Fold in the two wings on both sides of <u>Base End Wrap</u> to conceal the corrugation. (Refer to Picture 5)</p>	 <p style="text-align: center;">Picture 6</p>

C. Steps for Honeycombs and Casket Interior Fabric

1. Apply six of the Honeycombs to both the outside and the inside bottom of the Casket Base, make sure that they are **in the right position and covered the scores**. **Be certain that the Honeycombs are fastened securely.** (Refer to Picture 7 and 8)



Picture 7



Picture 8

2. Place Pillow in the casket. (Refer to Picture 9) If you have a hard time opening or closing the two lids because the tabs are too wide for the slots, just use your fingers to pinch all 6 long and 8 short tabs on casket base.



Picture 9

3. The Casket Interior Fabric consists of two pieces. Place the larger one inside the casket, and attach it along the bottom edge of the open lid. Place the small one on top of the closed lid. (Refer to Picture 10)



Picture 10